

DOMVIT-D

(OSSEIN MINERAL COMPLEX+VITAMIN D)

Tablets &
120mL Suspension

COMPOSITION: DOMVIT-D Tablet

Each film-coated tablet contains:

Vitamin-D B.P.	400 IU
Ossein Mineral Complex	830mg
Corresponding to:	
Calcium	177.6mg*
Phosphorus	82.2mg*
Residual Mineral Salts	24.9mg
Collagen	224.0mg
Other Proteins	66.4mg
Trace Elements	F, Mg, Fe, Zn, Cu, Ni

*Corresponding to approximate 440mg of Hydroxyapatite.

COMPOSITION: DOMVIT-D Suspension 120mL

Each 5ml contains:

Vitamin D B.P.	400 IU
Ossein Mineral Complex	400mg
Corresponding to:	
Calcium	85.59mg*
Phosphorus	39.61mg*
Residual Mineral Salts	12.00mg
Collagen	107.95mg
Other Proteins	32.00mg
Trace Elements	F, Mg, Fe, Zn, Cu, Ni

*Corresponding to 212mg hydroxyapatite approx.

DESCRIPTION:

DOMVIT-D is a complex of Ossein Hydroxyapatite Compound & minerals which is used in Osteoporosis & increased mineral requirements during pregnancy & lactation Vitamin-D plays an important role in the maintenance of organ systems Vitamin D regulates the calcium & phosphorus levels in the blood by promoting their absorption from food in the intestines, & by promoting re-absorption of Calcium in the kidneys. It promotes bone formation & mineralization & is essential in the development of an intact & strong skeleton.

PROPERTIES:

The organic matrix & mineral components of bone tissue are provided in DOMVIT-D in physiological proportions. Vitamin-D promotes re-absorption of Calcium in the kidneys & enables normal mineralization of bone. It is also necessary for bone growth & bone remodeling by osteoblasts & osteoclasts.

INDICATIONS:

• Poor bone & tooth development. • Decreased growth, rickets.
• Increased mineral requirements in conditions like pregnancy, lactation, osteoporosis, osteomalacia, osteoarthritis, bone pain, bone fragility, stiffness in the joints, fatigue & hypocalcemia. • As an adjuvant therapy in fractures with delayed callus formation

DOSAGE TABLET: Daily 1 to 2 tablets before meals or as directed by the physician.

DOSAGE SUSPENSION: Children & Adults: 1-2 teaspoonful twice daily before meals or as directed by the physician.

SPECIAL DOSAGE INSTRUCTIONS: The dosage in osteoporosis is increased as per the recommendation of physician.

PRECAUTION:

In hypercalcemia, hypercalciuria (renal calculi) higher doses need to be reduced.

ADVERSE EFFECTS:

When taken over a prolonged period the drug is well tolerated.

INTERACTIONS:

No interactions have been reported so far.

PRESENTATION:

DOMVIT-D tablets are available in Alu/Alu blister pack of 3x10's tablets with leaf insert. DOMVIT-D Suspension is available in 120mL bottle with leaf insert.

INSTRUCTIONS: DOMVIT-D tablet: Dosage as directed by the physician. Store below 30°C. Protect from heat, light and moisture. Keep all medicines out of the reach of children. To be sold on the prescription of a registered medical practitioner only. **DOMVIT-D 120mL Suspension:** Shake suspension bottle well before use and don't freeze.

Manufactured for:

DA NEEN PHARMA Daneen Pharma (Pvt.) Ltd.

27-Sunder Industrial Estate, Sunder Raiwind Road Lahore, Pakistan.
Tel: +92-42-35297781-2. Email: info@daneenpharma.com



ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

www.daneenpharma.com

Manufactured by:

GENIX PHARMA Genix Pharma (Pvt.) Ltd.

44-45-B, Korangi Creek Road, Karachi-75190, Pakistan.
UAN: +92-21-111-10-10-11, Email: info@genixpharma.com



ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

www.genixpharma.com